



# CEILING


## RECESSED TRIM






POSSIBLE CUSTOM SHAPES :







# PRO magnets


TYPE OF MOUNTING	RECESSED TRIM	
BACKLIGHT MODEL	<b>PRO</b> 	
MOUNTING SYSTEM	<b>magnets and iron plate</b>	
DIMENSION	MM width 19 - 29 - 34 - 39 - 44 - 54 - 59 - 80 - 104 - 204 mm INCHES width 0.8 - 1.2 - 1.4 - 1.6 - 1.8 - 2.2 - 2.4 - 3.2 - 4.2 - 8.2 in	MM length 101.6 to 3048.0 mm INCHES length 4.0 to 120.0 in

EXAMPLE SECTION: 55.88 mm (2.2 in) WIDTH PRO







# MAGIC CLOUD magnets


TYPE OF MOUNTING	RECESSED TRIM	
BACKLIGHT MODEL	<b>MAGIC CLOUD</b> 	
MOUNTING SYSTEM	<b>magnets and iron plate</b>	
DIMENSION	Max overall size: MM width between 15.24 to 203.2 mm INCHES width between 0.6 to 8.0 in	MM length between 101.6 to 3048 mm INCHES length between 4.0 to 120.0 in

## SECTION: 3C







# HALO magnets



TYPE OF MOUNTING	RECESSED TRIM	
BACKLIGHT MODEL	<b>HALO</b> 	
MOUNTING SYSTEM	<b>magnets and iron plate</b>	
DIMENSION	MM width* 19 - 29 - 34 - 39 - 44 - 54 - 59 - 80 - 104 - 204 mm INCHES width* 0.8 - 1.2 - 1.4 - 1.6 - 1.8 - 2.2 - 2.4 - 3.2 - 4.2 - 8.2 in max HALO size: 2006.6 x 3048 mm or 79.0 x 120.0 in	MM length 101.6 to 3048.0 mm INCHES length 4.0 to 120.0 in

EXAMPLE SECTION: 55.88 mm (2.2 in) WIDTH HALO









# magnets and omega

TYPE OF MOUNTING	RECESSED TRIM		
BACKLIGHT MODEL	<b>PRO</b> 	<b>MAGIC CLOUD</b> 	
MOUNTING SYSTEM	<b>magnets and omega channel</b>		
DIMENSION	Overall size:	MM width between 15.24 to 203.2 mm INCHES width between 0.6 to 8.0 in	MM length between 101.6 to 3048 mm INCHES length between 4.0 to 120.0 in

## SECTION: 3B





WARNINGS



DO NOT WET



DO NOT USE DETERGENTS



DO NOT USE HUMID FABRICS