


# FLOORING

FALSE FLOOR












# FLOORING

FALSE FLOOR



## POSSIBLE CUSTOM SHAPES



# FLOORING


FALSE FLOOR

## MOST POPULAR USES

### GLASS

GLASS  
min 10 mm (0.4 in)  
by others


BACKLIGHT PANEL



### STONE

TRANSLUCENT STONE  
min 20 mm (0.8 in)  
by others

BACKLIGHT PANEL





### TEXTURE

GLASS  
min 10 mm (0.4 in)  
by others


PRINTED FILM  
1.0 mm (0.04 in)  
by Backlight


BACKLIGHT PANEL







# FLUSH float


TYPE OF MOUNTING	FALSE FLOOR	
BACKLIGHT MODEL	<b>FLUSH</b>	
MOUNTING SYSTEM	<b>float</b> SINGLE FIXTURE	
DIMENSION	MM width 15 - 25 - 30 - 35 - 40 - 50 - 55 - 76 - 100 - 200 mm INCHES width 0.6 - 1.0 - 1.2 - 1.4 - 1.6 - 2.0 - 2.2 - 3.0 - 4.0 - 8.0 in	MM length 101.6 to 3048.0 mm INCHES length 4.0 to 120.0 in







# FLUSH float


TYPE OF MOUNTING	FALSE FLOOR	
BACKLIGHT MODEL	<b>FLUSH</b>	
MOUNTING SYSTEM	<b>float</b> MANY MODULES	
DIMENSION	MM width 15 - 25 - 30 - 35 - 40 - 50 - 55 - 76 - 100 - 200 mm INCHES width 0.6 - 1.0 - 1.2 - 1.4 - 1.6 - 2.0 - 2.2 - 3.0 - 4.0 - 8.0 in	MM length 101.6 to 3048.0 mm INCHES length 4.0 to 120.0 in







# FLUSH float


TYPE OF MOUNTING	FALSE FLOOR	
BACKLIGHT MODEL	<b>FLUSH</b>	
MOUNTING SYSTEM	<b>float</b> SINGLE FIXTURE	
DIMENSION	MM width 15 - 25 - 30 - 35 - 40 - 50 - 55 - 76 - 100 - 200 mm INCHES width 0.6 - 1.0 - 1.2 - 1.4 - 1.6 - 2.0 - 2.2 - 3.0 - 4.0 - 8.0 in	MM length 101.6 to 3048.0 mm INCHES length 4.0 to 120.0 in







# FLUSH float

TYPE OF MOUNTING	FALSE FLOOR	
BACKLIGHT MODEL	<b>FLUSH</b>	
MOUNTING SYSTEM	<b>float</b> MANY MODULES	
DIMENSION	MM width 15 - 25 - 30 - 35 - 40 - 50 - 55 - 76 - 100 - 200 mm INCHES width 0.6 - 1.0 - 1.2 - 1.4 - 1.6 - 2.0 - 2.2 - 3.0 - 4.0 - 8.0 in	MM length 101.6 to 3048.0 mm INCHES length 4.0 to 120.0 in







# MAGIC CLOUD float

TYPE OF MOUNTING	FALSE FLOOR	
BACKLIGHT MODEL	<b>MAGIC CLOUD</b> 	
MOUNTING SYSTEM	<b>float</b> SINGLE FIXTURE	
DIMENSION	Max overall size: MM width between 15.24 to 2006.6 mm INCHES width between 0.6 to 79.0 in	MM length between 101.6 to 3048 mm INCHES length between 4.0 to 120.0 in


## SECTION: 1A









# MAGIC CLOUD float


TYPE OF MOUNTING	FALSE FLOOR	
BACKLIGHT MODEL	<b>MAGIC CLOUD</b> 	
MOUNTING SYSTEM	<b>float</b> MANY MODULES	
DIMENSION	Max overall size: MM width between 15.24 to 2006.6 mm INCHES width between 0.6 to 79.0 in	MM length between 101.6 to 3048 mm INCHES length between 4.0 to 120.0 in

## SECTION: 1A







# MAGIC CLOUD float


TYPE OF MOUNTING	FALSE FLOOR	
BACKLIGHT MODEL	<b>MAGIC CLOUD</b> 	
MOUNTING SYSTEM	<b>float</b> SINGLE FIXTURE	
DIMENSION	Max overall size: MM width between 15.24 to 2006.6 mm INCHES width between 0.6 to 79.0 in	MM length between 101.6 to 3048 mm INCHES length between 4.0 to 120.0 in

## SECTION: 1A









# MAGIC CLOUD float

TYPE OF MOUNTING	FALSE FLOOR	
BACKLIGHT MODEL	<b>MAGIC CLOUD</b> 	
MOUNTING SYSTEM	<b>float</b> MANY MODULES	
DIMENSION	Max overall size: MM width between 15.24 to 2006.6 mm INCHES width between 0.6 to 79.0 in	MM length between 101.6 to 3048 mm INCHES length between 4.0 to 120.0 in

## SECTION: 1A





WARNINGS



DO NOT WET



DO NOT USE DETERGENTS



DO NOT USE HUMID FABRICS